

Bitzer 4DC-7.2Y-40S

Specifications

Бренд	Bitzer
Тип	4DC-7.2Y-40S
Хладагент	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
кВт at -10°C/+40°C	14,4
кВт at -20°C/+40°C	9,3
кВт at -30°C/+40°C	5,5
кВт at -40°C/+40°C	2,8
Разгруженный старт	✓
На стальной раме	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.	39 L
Фильтр-осушитель	✓
Смотровое стекло	✓
m ³ / h	50 Hz - 26,9 m ³ /h / 60 Hz - 32,4 m ³ /h
Примечания	Y.o.b. 2004
Размеры	1370x600x1730 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S

Used Bitzer 4DC-7.2Y-40S semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer FS 402 liquid receiver with a volume of 39 liters, liquid line filter drier and a sight glass. The compressor has a displacement of 26,9 m³/h at 50 Hz & 32,4 m³/h at 60 Hz.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.





