

# Bitzer 4HTC-20KI-40S (x1) & 4FTC-20KI-40P (x2) & 2KHC-05KB-40S (x1) & 2HHC-2KB-40S (x1)

## Specifications

Бренд	Bitzer
Тип	4HTC-20KI-40S (x1) & 4FTC-20KI-40P (x2) & 2KHC-05KB-40S (x1) & 2HHC-2KB-40S (x1)
Хладагент	CO2
Refrigerant type	R744
кВт at -10°C/+40°C	174,2*
кВт at -20°C/+40°C	118,7*
кВт at -30°C/+40°C	13,6**
кВт at -40°C/+40°C	8,2**
Примечания	*Capacity based on the 4HTC-20KI-40S (x1) & 4FTC-20KI-40P (x2) compressors and a condensing temperature of 10°C
Примечания	**Capacity based on the 2KHC-05KB-40S (x1) & 2HHC-2KB-40S (x1) compressors at a condensing temperature of 0°C
Примечания	Y.o.b. 2013



Package / Rack	✓
Размеры	850x3180x2120 mm (LxWxH)
Stock	1

## Description

### **Used Bitzer 4HTC-20KI-40S (x1) & 4FTC-20KI-40P (x2) & 2KHC-05KB-40S (x1) & 2HHC-2KB-40S (x1)**

Used Carrier MINI CCP335-3000+BCM230-3BD0 compressor rack on CO2 (R744). Complete with 1x Bitzer 4HTC-20KI-40S & 2x 4FTC-20KI-40P & 1x 2KHC-05KB-40S & 1x 2HHC-2KB-40S semi-hermetic reciprocating compressors. Complete with a receiver, Alfa Laval AXP52-72H brazed heat exchanger for heat recovery, pressure and safety switches/gauges, control cabinet with 2 frequency converters and control panels.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics











