

L'Unité Hermetique TFHP4531Z (x3) Condensing Unit

Specifications

| | |
|---------------------------|-----------------------------------|
| Бренд | L'Unité Hermetique |
| Тип | TFHP4531Z (x3) Condensing Unit |
| Хладагент | Freon |
| kW at 0°C/+40°C | 18,9 |
| kW at -5°C/+40°C | 15,3 |
| кВт at -10°C/+40°C | 12,3 |
| кВт at -20°C/+40°C | 7,2 |
| кВт at -30°C/+40°C | 5,1 (-25°C/+40°C) |
| На стальной раме | ✓ |
| Жидкостный ресивер | ✓ |
| Жидкостный ресивер л.20 l | |
| Фильтр-осушитель | ✓ |
| Смотровое стекло | ✓ |
| Панель управления | ✓ |
| m ³ / h | 29,4 m ³ /h - 2900 RPM |
| Condensing Unit | ✓ |
| Размеры | 1500x850x950 mm (LxWxH) |
| Stock | 1 |



Description

Used L'Unité Hermetique TFHP4531Z (x3) Condensing Unit

Used L'Unité Hermetique Trio TFH 4593 Z water-cooled condensing unit on Freon. Complete with a 3 Tecumseh TFHP4531Z scroll compressors, Bitzer K123H shell and tube condenser, Bitzer FS 202 liquid receiver with a volume of 20 liters, 2 liquid line filters drier and a control cabinet with a Danfoss controller. The compressors have a displacement of 29,4 m³/h at 2900 RPM.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new



paint job and arrange the logistics.





