

# Stal S83A-HP

## Specifications

Бренд	Stal
Тип	S83A-HP
Хладагент	NH 3 (ammonia)
кВт at -30°C/+40°C	331,9
кВт at -40°C/+40°C	192,7
кВт at -45°C/+40°C	143,9
Электродвигатель	50 Hz - 200 kW - 2965
Спесс	RPM
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Маслоотделитель	✓
Панель управления	✓
m <sup>3</sup> / h	1780
Размеры	3500x1350x1600 (LxWxH)
Stock	1



## Description

### Used Stal S83A-HP

Used ABB Stal SVA 83E compressor skid on NH3. Complete with a Stal S83A screw compressor and a Schorch KN7315M-AB019-160 electric motor - 50 Hz - 200 kW - 2965 RPM, oil separator, oil cooler, oil filter, pressure and safety switches/gauges and a control panel with an ABB Stalectronic 700 controller. The compressor has a displacement of 1740 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.







