

Stal R5 MK2

Specifications

| | |
|--------------------|------------------------------|
| Бренд | Stal |
| Тип | R5 MK2 |
| Хладагент | NH 3 (ammonia) |
| кВт at -10°C/+40°C | 181,0 (-10°C/+35°C) |
| кВт at -30°C/+40°C | 81,0 (-30°C/+35°C) |
| На стальной раме | ✓ |
| Прессостаты | ✓ |
| Манометры | ✓ |
| Маслоотделитель | ✓ |
| Панель управления | ✓ |
| m ³ / h | 245 - 412 |
| Примечания | Y.o.b. 2022 |
| Размеры | 1100x1100x2100 mm (LxWxH) |
| Stock | 1 |



Description

Used Stal R5 MK2

Used Stal RVA59E compressor skid on NH₃ (Ammonia). Complete with a Sabroe / Stal R5 MK2 screw compressor, Schorch KN5250S-AB094-060 electric motor - 50 Hz - 90 kW - 2960 RPM, oil separator, pressure and safety switches/gauges. The compressor has a displacement between 245 and 412 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





