

# Sabroe HPO 28

## Specifications

Бренд	Sabroe
Тип	HPO 28
Хладагент	CO2
Refrigerant type	R744
кВт at -20°C/+40°C	611,4*
кВт at -30°C/+40°C	418,1*
кВт at -40°C/+40°C	271,1*
Электродвигатель	50 Hz - 132 kW - 1487
Specs	RPM
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Маслоотделитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
Панель управления	✓
m <sup>3</sup> / h	233
Примечания	Y.o.b. 2012
Примечания	*Capacity based on a condensing temperature of 0°C
Размеры	2500x950x1700 mm (LxWxH)
Stock	2



## Description

### Used Sabroe HPO 28

Used Sabroe HPO 28 reciprocating compressor on R744 (CO<sub>2</sub>). Complete with an ABB M2BAT 315 SMB 4 electric motor - 50 Hz - 132 kW - 1487 RPM, Sabroe OVUR 4113D oil separator with a volume of 158 liter and a Unisab 3 controller. The compressor has a displacement of 233 m<sup>3</sup>/h. \*Capacity based on a condensing temperature of 0°C.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment soley if it has passed our extensive quality test and after it has been cleaned industrially. \*If requested we are happy to arrange your shipment.





