

## Bitzer HSN 7471-75-40P (x3)

### Specifications

Бренд	Bitzer
Тип	HSN 7471-75-40P (x3)
Хладагент	Freon
кВт at -20°C/+40°C	360,9
кВт at -30°C/+40°C	248,7
кВт at -40°C/+40°C	163,5
kW at -45°C/+40°C	129,0
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
Панель управления	✓
m <sup>3</sup> / h	50 Hz - 750 m <sup>3</sup> /h & 60 Hz - 900 m <sup>3</sup> /h
Примечания	Y.o.b. 2004 (s.nr: 1066800052) & y.o.b. 2000 (s.nr: 5871892)
Package / Rack	✓
Размеры	3700x1420x1780 mm (LxWxH)



Stock

1

## Description

### Used Bitzer HSN 7471-75-40P (x3)

Used Bitzer HSN 7471-75-40P (x3) semi-hermetic screw compressor skid on Freon. Complete with a Hans Güntner liquid receiver with a volume of 400 liters, Bitzer OA 9011 oil separator, Vahterus PSHE 3HH-38/1/1 oil cooler, Vahterus Q plate 3HH-96/3/2 as economizer, pressure and safety switches/gauges and a control cabinet with a Eliwell EWCM890/S controller. The compressors have a total displacement of 750 m<sup>3</sup>/h at 50 Hz & 900 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.













