

# Goedhart VCI-B 82637 GF

## Specifications

Производитель	Goedhart
Тип	VCI-B 82637 GF
кВт	46,7
Хладагент	Freon
К-во вентиляторов	2
Расстояние между ламелями, мм	7
Оттайка	Hot Gas
Поток воздуха м <sup>3</sup> /час	24.754
Размеры	2910x1100x1150 mm (LxWxH)
Примечания	Y.o.b. 2010
Volume	75 dm <sup>3</sup>
вес	520 kg
Stock	4



## Description

### Used Goedhart VCI-B 82637 GF

Used Goedhart VCI-B 82637 GF Freon evaporator with hot gas defrost. Complete with 2 EBM-Papst S6G630-AS21-02 fans - 50/60 Hz - 1,85 kW - 1230 RPM - diameter 630 mm and a total airflow of 24.754 m<sup>3</sup>/h.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.



GEA Goedhart B.V.  
 Nijverheidsweg 6 4695 RC Sint-Maartensdijk, The Netherlands  
 Tel: +31(0)166 665 665 www.goedhart.nl

Man. no.:	PJV092541, VK0902467 / 300019140		
Type:	VCI-B 82637 GF		
Number:	4	of	6
Year:	2010		
Client ref.:	Sliqro Nieuwegein		
M.:	520 kg	-	TS: +55/-28 °C
V:	75 dm <sup>3</sup>	CE	PS: 28 bar
	-		PT: 40 bar
Fluid:	R404A DX		

Goedhart Manufactured by GEA Goedhart s.r.o.



