

Goedhart VCI-B 65457

Specifications

| | |
|-----------------------------------|----------------------------|
| Производитель | Goedhart |
| Тип | VCI-B 65457 |
| кВт | 38,4 |
| Хладагент | Freon |
| К-во вентиляторов | 5 |
| Расстояние между ламелями, мм | 7 |
| Оттайка | None |
| Поток воздуха м ³ /час | 24.340 |
| Размеры | 4500x950x700 mm (LxWxH) |
| Примечания | Y.o.b. 2009 |
| Volume | 57 dm ³ |
| вес | 360 kg |
| Stock | 2 |



Description

Used Goedhart VCI-B 65457

Used Goedhart VCI-B 65457 Freon evaporator. Complete with 5 Süd-Electric MDA-P2025-NVN-N fans - 50 Hz - 0,30/0,40 kW - 1050/1350 RPM - diameter 450 mm and a total airflow of 24.340 m³/h.

*All components of this used evaporator will be tested in good working, leak-free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.



GEA Goedhart B.V.
Nijverheidsweg 6 4695 RC Sint-Maartensdijk, The Netherlands
Tel: +31(0)166 665 665 www.goedhart.nl

| | | | |
|--------------|----------------------------------|----|---------------|
| Man. no.: | PJV090427, VK0900401 / 290189210 | | |
| Type: | VCI-B 65457 | | |
| Number: | 2 | of | 2 |
| Year: | 2009 | | |
| Client ref.: | 08N011 Roelofs | | |
| M.: | 360 kg | - | TS: +55/-5 °C |
| V: | 57 dm ³ | - | PS: 28 bar |
| | - | - | PT: 40 bar |
| Fluid: | R507a DX | | |

Goedhart Manufactured by GEA Goedhart s.r.o.



