

# Carlyle / Carrier 06TUA554SW1C

## Specifications

Бренд	Carlyle / Carrier
Тип	06TUA554SW1C
Хладагент	Freon
Refrigerant type	R134a
кВт at +10°C/+40°C	795,8* (12,8°C/+43,3°C)
kW at 0°C/+40°C	541,6* (1,7°C/+43,3°C)
kW at -5°C/+40°C	435,5* (-3,9°C/+43,3°C)
кВт at -10°C/+40°C	342,7* (-9,4°C/+43,3°C)
кВт at -20°C/+40°C	262,7* (-15°C/+43,3°C)
Жидкостный ресивер	✓
Жидкостный ресивер л.	221
Фильтр-осушитель	✓
Соленоидный клапан	✓
м <sup>3</sup> / h	928 at 2900/3500 RPM
Примечания	*Capacity based on Freon type: R134a
Размеры	1700x1400x730 mm (LxWxH)
Stock	2



## Description

### Used Carlyle / Carrier 06TUA554SW1C

Used Carlyle / Carrier 06TUA554SW1C semi-hermetic screw compressor on Freon type R134a. Complete with Carrier 00PSG000252301A liquid receiver with a volume of 221 liters and 2 liquid line filter driers. The compressor has a displacement of 928 m<sup>3</sup>/h at 2900/3500 RPM.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.





