

# Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)

## Specifications

Бренд	Bitzer
Тип	66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)
Хладагент	Freon
kW at -5°C/+40°C	168,0
кВт at -10°C/+40°C	138,6
кВт at -20°C/+40°C	91,1
кВт at -30°C/+40°C	55,8
кВт at -40°C/+40°C	30,3
kW at -45°C/+40°C	20,4
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Смотровое стекло	✓
м <sup>3</sup> / h	253,6
Примечания	Y.o.b. 2013 (s.nr: 1684613139)
Масса	491
Размеры	1700x600x610 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)

Used Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1) semi-hermetic reciprocating tandem compressor on Freon. Complete with a pressure safety switches and a sight glasses. The compressor has a displacement of 253,6 m<sup>3</sup>/h at 50 Hz and 305,8 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.



