

Goedhart KOAL-G-L4490E-C-8P(S)

Specifications

| | |
|--------------------------------|------------------------------|
| Производитель | Goedhart |
| Тип | KOAL-G-L4490E-C-8P(S) |
| Тип продукта | Air Cooled Condenser |
| кВт | 359,1 |
| К-во вентиляторов | 4 |
| Скорость вращения вентиляторов | 530/670 |
| Хладагент | Freon |
| Поток воздуха м³/час | 87.674 |
| диаметр вентиляторов | 900 mm |
| Ø | |
| поверхность (м2) | 890 |
| Объем трубки | 147 |
| Размеры | 8320x1250x1850 mm (LxWxH) |
| вес | 1220 kg |
| Примечания | Y.o.b. 2007 |
| Stock | 1 |



Description

Used Goedhart KOAL-G-L4490E-C-8P(S)

Used Goedhart KOAL-G-L4490E-C-8P(S) air-cooled condenser on Freon. Complete with 4 Süd-Electric MDB-T3140-NAN-U fans - 50 Hz - 1,4/2,1 kW - 530/670 RPM - diameter 900 mm and a total airflow of 87.674 m³/h.

*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



| | | | |
|--|-------------------------------------|--|---|
| Goedhart Cooling Equipment | | Holland - Sint Maartensdijk Tel. No.: (+31) 166.665665 Fax No.: (+31) 166.663698 info@goedhart.nl | |
| Typ. / Modell | | Artikel-Nr. / Article-No.: 3001.CAV05-10 | |
| KOAL-G-L4490E-C-8P(S) PJV 071190 | | | |
| Herstell.-Nr. Manufact.No. | 252825 / 0100 / 2007 / 15531776 / 1 | | |
| Ventilator(en) Fan(s) | 400V-3-50HZ | P _{Ges. Weert.} Total Fans | 8400 W |
| el. Heizung el. Defrost | | P _{Ges. Heizung} Total Defrost | W |
| Rohrininhalt Tube Volume | 149,00 ltr | el. Anschlußwert gesamt el. Connection Value Total | P _{Gesamt} Total 8400 W |
| max. zul. Druck max. all. Pressure | PS _{max} 32 bar | CE | Fluid Gruppe Fluid Group 2 |
| max. zul. Temp. max. all. Temp. | TS _{max} 100 °C | | min. zul. Temp. min. all. Temp. TS _{min} -40 °C |
| Hersteller / Manufacturer : GEA Küba Kältetechnik GmbH | | | |



