


Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Specifications

Бренд	Bitzer
Тип	4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P
Хладагент	Freon
kW at 0°C/+40°C	80,0
kW at -5°C/+40°C	66,2
кВт at -10°C/+40°C	54,2
кВт at -20°C/+40°C	34,7
кВт at -30°C/+40°C	20,4
кВт at -40°C/+40°C	10,0
kW at -45°C/+40°C	6,1
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.56	
Отделитель жидкости	✓
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Панель управления	✓
m ³ / h	97 m ³ /h at 50 Hz & 117 m ³ /h at 60 Hz
Примечания	Y.o.b. 2008
Package / Rack	✓



Размеры 1500x900x1800 mm
(LxWxH)

Stock 1

Description

Used Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Used Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P semi-hermetic reciprocating tandem compressor on Freon. Complete with a suction accumulator, oil separator, Bitzer F562N liquid receiver with a volume of 56 liter, liquid line filter drier, pressure and safety switches and a control cabinet.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



