

## Bitzer HSN7451-60-40P (x3)

### Specifications

|                          |  |
|--------------------------|--|
| Бренд                    | Bitzer   |
| Тип                      | HSN7451-60-40P (x3)  |
| Хладагент                | Freon  |
| кВт at -20°C/+40°C       | 304,2  |
| кВт at -30°C/+40°C       | 207,0  |
| кВт at -40°C/+40°C       | 132,6  |
| kW at -45°C/+40°C        | 102,6  |
| Управление               | ✓  |
| производительностью      |  |
| На стальной раме         | ✓  |
| Прессостаты              | ✓  |
| Манометры                | ✓  |
| Жидкостный ресивер       | ✓  |
| Жидкостный ресивер л.570 |  |
| Маслоотделитель          | ✓  |
| Фильтр-осушитель         | ✓  |
| Смотровое стекло         | ✓  |
| Соленоидный клапан       | ✓  |
| Панель управления        | ✓  |
| m <sup>3</sup> / h       | 576  |
| Примечания               | Y.o.b. 2010 (s. nr: 1078100931,) & y.o.b. 2009 (s. nr: 1076100263) |
| Масса                    | 2750   |
| Package / Rack           | ✓  |



(LxWxH)

Вазы

3900x1400x2400 mm

## Description

### Used Bitzer HSN7451-60-40P (x3)

Used Bitzer HSN 7451-60-40P (x3) semi-hermetic screw compressor rack on Freon. Complete with a Hans Güntner RDYG 570 liquid receiver with a volume of 570 liters, Bitzer OA9011 oil separator, brazed heat exchanger as economizer, pressure and safety switches/gauges and a control cabinet. The compressors have a total displacement of 576 m<sup>3</sup>/h at 50 Hz & 690 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.









