

Searle SM162-66-P1

Specifications

Производитель	Searle
Тип	SM162-66-P1
кВт	19,4
Хладагент	Freon
К-во вентиляторов	2
Расстояние между ламелями, мм	7
Оттайка	Electric
Поток воздуха м³/час	9.216
Размеры	3060x850x1000 mm (LxWxH)
Volume	30 dm³
вес	436 kg
Stock	1



Description

Used Searle SM162-66-P1

Used Searle SM162-66-P1 Freon evaporator with electric defrost. Complete with 2 Ziehl-Abegg FB063-SDK.4I.6S fans - 50 Hz - 0,72/0,47 kW - 870/650 RPM - diameter 630 mm and a total airflow of 9.216 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



Model SM162-66-P1		Serial Number 313798		
Medium (Group) HCFC & HFC (2)		Date Code FD		
Max Pressure 21 bar		Receiver Volume ltr		
Coil Volume - ltr		Net Weight 436 kg		
Safety Device Settings -		TOTAL AMPS/PHASE		
MOTOR SUPPLY		1	2	3
No.Off x Power	Conn-Volt-Phase-Freq	2.8		
2 x 720 W	400V-3Ph-50Hz			
DEFROST		TOTAL AMPS/PHASE		
Power	Voltage-Phase	1	2	3
19000 W	400V-3Ph	28.9	28.9	28.9
searle		CE		
Fareham, UK, PO14 1AR		MADE IN THE E.C.		



