

Howden MK6/WRV20416536/1972

Specifications

Бренд	Howden
Тип	MK6/WRV20416536/1972
	2
Хладагент	NH 3 (ammonia)
kW at 0°C/+40°C	946,0
kW at -5°C/+40°C	760,0
кВт at -10°C/+40°C	596,0
кВт at -20°C/+40°C	336,0
кВт at -30°C/+40°C	151,0
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Маслоотделитель	✓
Stock	1



Description

Used Howden MK6/WRV20416536/1972

Used Howden MK6/WRV20416536/1972 Screw compressor on NH3 (Ammonia). Complete with a 2EC 2EC-315LA-2 electric motor - 50/60 Hz - 250/288 kW - 2970/3570 RPM, Ferguson T70 oil separator with a volume of 770 liter, Transitherm B219/2500-1W oil cooler, Viking Pump AK4195 oil pump, 2 Ferguson MMF 20 oil filters and pressure and safety switches/gauges. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





