

# Bitzer HSK5363-40-40P

## Specifications

Бренд	Bitzer
Тип	HSK5363-40-40P
Хладагент	Freon
kW at 0°C/+40°C	113,7
kW at -5°C/+40°C	98,3
кВт at -10°C/+40°C	84,4
кВт at -20°C/+40°C	60,3
Разгруженный старт	✓
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.125	
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
m <sup>3</sup> / h	118
Примечания	Y.o.b. 2012
Размеры	1800x1150x2000 mm (LxWxH)
Stock	1



## Description

### Used Bitzer HSK5363-40-40P

Used Bitzer HSK5363-40-40P semi-hermetic screw compressor unit. Complete with a Frigomec FSR 125+2SGR9+SV+R7 liquid receiver with volume of 125 liters, Bitzer OA1954 oil separator, Alfa Laval CB76-30H brazed heat exchanger, pressure and safety switches/gauges, liquid line filter drier and a sight glass. The displacement of the compressor is 118 m<sup>3</sup>/h at 50 Hz and 142 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

\*Optionally we can also perform a new paint job and arrange the logistics.





