

## Bitzer 6F-40.2Y (x2) & 6FF-80.2Y

### Specifications

Бренд	Bitzer
Тип	6F-40.2Y (x2) & 6FF-80.2Y
Хладагент	Freon
kW at -5°C/+40°C	202,0
кВт at -10°C/+40°C	166,2
кВт at -20°C/+40°C	108,5
кВт at -30°C/+40°C	65,9
кВт at -40°C/+40°C	35,1
kW at -45°C/+40°C	23,4
Управление производительностью	✓
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Смотровое стекло	✓
Соленоидный клапан	✓
Панель управления	✓
m <sup>3</sup> / h	50 Hz - 303,2 m <sup>3</sup> /h & 60 Hz - 362 m <sup>3</sup> /h
Package / Rack	✓
Размеры	2550x2150x1800 mm (LxWxH)
Stock	1



### Description

#### Used Bitzer 6F-40.2Y (x2) & 6FF-80.2Y

Used Bitzer 6F-40.2Y (x2) & 6FF-80.2Y semi-hermetic reciprocating compressor Freon. Complete with pressure and safety switches/gauges, Vacon frequency regulator and a control cabinet with a Siemens OP7-DP controller. The compressors have a total displacement of 303,2 m<sup>3</sup>/h at 50 Hz & 362 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





