

# Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF

## Specifications

Производитель	Jaeggi
Тип	HTK 2.4/6.6-2S-P2-CU-SLNF
Тип продукта	Drycooler
кВт	1256,0
К-во вентиляторов	2
Скорость вращения вентиляторов	470
Хладагент	Glycol
Поток воздуха м <sup>3</sup> /час	185.033
диаметр вентиляторов	1856 mm
Ø	
Объем трубки	1120 dm <sup>3</sup>
Размеры	8300x2500x4000 mm (LxWxH)
вес	6716 kg
Примечания	Y.o.b. 2014
Remarks	*Capacity based on inlet/outlet temperature: +34°C/+29°C & air inlet: 32°C
Stock	2



## Description

### Used Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF

Used Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF drycooler. Complete with 2 fans that are belt driven by a WEG 3132S-04 electric motor - 50 Hz - 5,5 kW - 1455 RPM. Further the drycooler comes with a control cabinet with 2 Allen-Bradley 22B-D017N104 frequency drives, 2 Allen-Bradley 22A-D2P3N104 frequency drives and a Allen-Bradley controller. \*Capacity based on inlet/outlet temperature: +34°C/+29°C & air inlet: 32°C

\*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can



arrange your shipment.









