

# Bitzer 6F-40.2Y-40P (x3) & 4J-13.2Y-40P (x1)

## Specifications

Бренд	Bitzer
Тип	6F-40.2Y-40P (x3) & 4J-13.2Y-40P (x1)
Хладагент	Freon
Refrigerant type	R404A
kW at -5°C/+40°C	345,5
кВт at -10°C/+40°C	284,5
кВт at -20°C/+40°C	185,9
кВт at -30°C/+40°C	113,0
кВт at -40°C/+40°C	60,3
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.228	
Маслоотделитель	✓
Система маслоуравнивания	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
m <sup>3</sup> / h	518,3
Примечания	Y.o.b. 2006
Package / Rack	✓



(LxWxH)

Вазы

3500x1200x2200 mm

## Description

### Used Bitzer 6F-40.2Y-40P (x3) & 4J-13.2Y-40P (x1)

Used Bitzer 6F-40.2Y-40P (x3) & 4J-13.2Y-40P (x1) semi-hermetic reciprocating compressors rack on Freon. Complete with a Bitzer F2202N liquid receiver with a volume of 228 liters, Henry Technologies S-5203-CE oil separator, Henry Technologies S-9109-CE oil reservoir, brazed heat exchanger, pressure and safety switches/gauges and a liquid line filter drier. The compressors have a displacement of 518,3 m<sup>3</sup>/h at 50 Hz. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.







