

Sabroe SMC108L-HP

Specifications

Бренд	Sabroe
Тип	SMC108L-HP
Хладагент	NH 3 (ammonia)
Refrigerant type	R717
кВт at +10°C/+40°C	722,4
kW at 0°C/+40°C	477,8
kW at -5°C/+40°C	297,1
Электродвигатель	50 Hz - 110 kW - 1475
Specs	RPM
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
m3 / h	551,0
Примечания	Y.o.b. 1995
Размеры	2250x1100x1650 mm (LxWxH)
Stock	1



Description

Used Sabroe SMC108L-HP

Used Sabroe SMC108L-HP reciprocating compressor on NH3 (Ammonia). Complete with an Schorch KN7280S-BB01B-401 electric motor - 50/60 Hz - 110/127 kW - 1475/1775 RPM, Seriaco S300/10 oil separator with a volume of 80 liters and pressure and safety switches/gauges. The compressor has a displacement of 551,0 m³/h at 1460 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





