

# Bitzer HSK 5363-40 (x1) & HSK 6451-50 (x2)

## Specifications

Бренд	Bitzer
Тип	HSK 5363-40 (x1) & HSK 6451-50 (x2)
Хладагент	Freon
kW at 0°C/+40°C	383,9
kW at -5°C/+40°C	330,7
кВт at -10°C/+40°C	283,0
кВт at -20°C/+40°C	201,5
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.120	
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
Панель управления	✓
m <sup>3</sup> / h	398,0



	16060601)
Пакет/Package/Rack	Y.o.b. 2002 (s. nr: 16060601)
Размеры	3600x1840x2150 mm (y.d.w.xh)
	(y.d.w.xh)001 (s.nr: 16060601)
Stock	1

## Description

### Used Bitzer HSK 5363-40 (x1) & HSK 6451-50 (x2)

Used Bitzer HSK 5363-40 (x1) & HSK 6451-50 (x2) semi-hermetic screw compressor rack on Freon with a economizer. Complete with C+F RLV.120 liquid receiver with a volume of 120 liters, Bitzer OA4088 oil separator with a volume of 88 liters, Alfa Laval AC-50X-30H brazed heat exchanger for heat recovery, pressure and safety switches/gauges and a control cabinet with a Yokogawa UM330 indicator. The compressors have a total displacement of 398,0 m<sup>3</sup>/h at 50 Hz & 478,0 m<sup>3</sup>/h at 60 Hz. The capacities are with a economizer. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics







