

Güntner GCHC RD 050.2/24-49-4235858M New

Specifications

Производитель	Güntner
Тип	GCHC RD 050.2/24-49-4235858M New
Тип продукта	Air Cooled Condenser
кВт	225,8*
К-во вентиляторов	8
Скорость вращения вентиляторов	1390/1180
Хладагент	Freon
Поток воздуха м³/час	47.465
диаметр вентиляторов	500 mm
Ø	
поверхность (m2)	722,6
Объем трубки	62,7
Размеры	3950x1720x1300 mm (LxWxH)
вес	554
Примечания	Y.o.b. 2024
Remarks	*Capacity based on R507A.
Stock	1





Description

Used Güntner GCHC RD 050.2/24-49-4235858M New

New Güntner GCHC RD 050.2/24-49-4235858M air-cooled condenser on Freon. Complete with 8 EBM-Papst S4D500-CM03-09 fans - 50 Hz - 0,72/0,55 kW - 1390/1180 RPM & 60 Hz - 1,06 kW - 1640 RPM - diameter 500 mm and a total airflow of 47.465 m³/h.

*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines, condensing block, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



Güntner GmbH & Co. KG Hans-Coblenz-Strasse 2 - 6 82256 Fürstenfeldbruck www.guentner.de		 	
Projektnummer - Project number	101219237		
Druckgerätebezeichnung - Pressure equipment type	GCHC RD 050 2/24-49-4235858M		
UI Nummer - UI number	4235858		
Seriennummer - Serial number	504317184/06.00439		
Herstellungsjahr - Year of manufacture	2024		
Ventilator/D/Drehzahl/Stromaufn. - Fan/D/Speed/Current	VT03150J / 2348 / 1180 min ⁻¹ / 0.9 A		
Umgebungstemperatur - Ambient air temperature	-30 °C / +60 °C		
Volumen - Volume (V)	62.7 l		
Max. zulässiger Druck (PS)	32 / 0 bar	0 / -1 bar	
Max. permissible pressure (PS)			
Zulässige min./max. Temperatur (TS)	-50 °C / +100 °C		
Permissible min./max. temperature (TS)			
Prüfdruck (PT) / Prüfmedium	35.2 bar / Druckluft - Compressed air		
Test pressure (PT) / Test medium			
Prüfdatum - Test date	2024-02-09		
Fluidgruppe / Zustand - Group of fluid / State	2 / gasförmig - gaseous		





