

Tranter GCD-044NR

Specifications

Марка	Tranter
тип	GCD-044NR
Product type	PHE
Refrigerant / Medium	Water/Glycol
кВт	300,0
поверхность (m2)	70 m ²
Size	2000x460x1140 mm (LxWxH)
Layers / Cassettes	146
Volume	Hot side: 46,8 dm ³ Cold side: 47,4 dm ³
Remarks	Y.o.b. 2016
Stock	1



Description

Used Tranter GCD-044NR

Used Tranter GCD-044NR heat exchanger with 146 layers for Water / Glycol built in 2016. The heat exchanger has a volume of 46,8 dm³ (Hot side) & 47,4 dm³ (Cold side). Block dimensions: 1350x390x310 mm (LxWxH).

Capacity of 300 kW based on the following:

Hot side: (Water)

Liquid flow: 64,8 m³/h

Temp in: 27°C and out: 23°C.

Cold side: (EthGlycol 30%) Liquid flow: 70,1 m³/h


Temp in: 22°C and out: 26°C



TRANTER International AB
 Korta Gatan 9, SE-171 54 Solna, Sweden
 Tel. + 46-8-442 49 70 Fax + 46-8-442 49 80

MODEL	GCD-0A4NR	MFG. YEAR	2016
CONTROL	-		
SERIAL	238397-1	SIDE 1	SIDE 2
Max./min. work. pressure PS (bar)	16/-1	10/-1	
Max./min. working temp. TS (°C)	80/-10	80/-10	
Volume V (L)	46.8	47.4	
Channel arrangement	404+32L		
Connection IN/OUT	51/55		
Material in Connections	14401		
Test pressure PT (bar)	14.3	14.3	
Weight empty/full (kg)	635		





	Hot Side		Cold Side		
	Inlet	Outlet	Inlet	Outlet	
Fluid Name	Water		30% EthGlycol (aq)		
OPERATING DATA					
Total Liquid flow	m ³ /h	64.81	64.81	70.09	70.09 m ³ /h
Operating Temperature	°C	27.00	23.00	22.00	26.00 °C
Pressure drop (allowed / calc.)	kPa	45.00 / 32.61		45.00 / 44.77	
Total Heat Exchanged	kW			300	
U-Service	W/(m ² ·°C)			4.252	
Total Heat Transfer Area	m ²			70.56	
LMTD	°C			1.00	
FLUID PROPERTIES					
		Inlet	Outlet	Inlet	Outlet
Specific Gravity	-	1.00	1.00	1.04	1.04
Specific Heat	kJ/(kg·°C)	4.18	4.18	3.72	3.73
Thermal Conductivity	W/(m·°C)	0.61	0.60	0.49	0.49
Viscosity (avg.)	cP	0.85	0.93	2.01	1.80
CONNECTIONS					
Position		S1	S3	S2	S4
Type		STUDDER	STUDDER	STUDDER	STUDDER
Size		DN100	DN100	DN100	DN100
Rating		DIN2501 PN10	DIN2501 PN10	DIN2501 PN10	DIN2501 PN10
Material		1.4401	1.4401	1.4401	1.4401
CONSTRUCTION					
Pass Arrangement		1		1	
Channel Arrangement		40M+32L		40M+33L	
A-Dimension / C-Dimension	mm	306.6 / 1036			
Plate Material (Material/Thickness)		1.4401 / 0.5 mm			
Gasket Material (Hot/Cold)		NBR		NBR	
No. of Plates		146			
Frame material / Paint / Color		S355J2 Carbon Steel / Enamel / RAL 5012 (Royal Blue)			
Tightening Bolts/Nuts/Finish		8.8 / 8 / FZB			
Pressure (design / test)	MPa(g)	1.00 / 1.43		1.00 / 1.43	
Temperature (min / design)	°C	-10.00 / 80.00		-10.00 / 80.00	
Weight empty / flooded (per unit)	kg	640 / 736			