

Bitzer 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1)

Specifications

| | |
|--------------------------|--|
| Бренд | Bitzer |
| Тип | 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1) |
| Хладагент | CO2 |
| Refrigerant type | R744 |
| кВт at -20°C/+40°C | 84,3* |
| На стальной раме | ✓ |
| Манометры | ✓ |
| Жидкостный ресивер | ✓ |
| Жидкостный ресивер л.133 | |
| Маслоотделитель | ✓ |
| Смотровое стекло | ✓ |
| Панель управления | ✓ |
| м3 / h | 33,4 |
| Примечания | Y.o.b. 2023 |



| | |
|--------------|--|
| | 0°C |
| Пакет / Rack | *Capacity based on the |
| Размеры | 2JSL-2K-40S compressor (incl. condensing temp. |
| Stock | of 0°C & capacity based on the 4HTEU-20LK-40S & 4FTE-20K-40P compressors at a gas cooler outlet temp. of |

Description

Used Bitzer 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1)

New Bitzer compressor rack on CO2 (R744). Complete with a Bitzer 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1) semi-hermetic reciprocating compressors. Further the set comes with a Frigomec RC0355.178.133.80 liquid receiver with a volume of 133 liters, oil separator, brazed heat exchanger, Eco Modine CGS12EH3.4443 evaporator, pressure and safety gauges, ABB ACH580-01-0945-4+J400 frequency converter and a control cabinet with Danfoss MMIGRS2 controller.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







