


Grasso F2M S3-2500

Specifications

Бренд	Grasso
Тип	F2M S3-2500
Хладагент	NH 3 (ammonia)
кВт at -30°C/+40°C	680
кВт at -40°C/+40°C	448
Электродвигатель	2x 160 kW at 2970 RPM
Specs	
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Система	✓
маслоуравнивания	
Панель управления	✓
Примечания	Y.o.b. 1995
Масса	6400 kg
Размеры	4340x1280x2440 mm (LxWxH)
Stock	1



Description

Used Grasso F2M S3-2500

Used Grasso two-stage screw compressor set on R717 (Ammonia). Complete with Grasso S3-2500 low-stage screw compressor with a FFD DPIG 315 MBN/2 electric motor - 50 Hz - 160 kW - 2970 RPM, oil separator, 2 oil coolers, oil pump, pressure gauges and a control cabinet. This set comes further with a Grasso S3-900 high stage screw compressor and a FFD DPIG 315 MB/2 electric motor - 50 Hz - 160 kW - 2970 RPM. This unit has a cooling capacity of 680 kW at -30°C/+40°C.

Running hours: 48.273 hours
(Overhauled at 48.200 hours)

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.



**Your partner for used commercial and
industrial refrigeration equipment**

*Optional we can also perform a new
paint job and arrange the logistics.

