

Sabroe SAB 163 HF MK 2 (x2)

Specifications

Бренд	Sabroe
Тип	SAB 163 HF MK 2 (x2)
Хладагент	NH 3 (ammonia)
кВт at -10°C/+40°C	1197
кВт at -20°C/+40°C	770,2
кВт at -30°C/+40°C	467,2
кВт at -40°C/+40°C	260,2
Электродвигатель	75 kW at 2955 RPM
Specs	
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Маслоотделитель	✓
Соленоидный клапан	✓
Панель управления	✓
Примечания	# Including Unisab S-controls // Electromotor: 75 kW at 2955 RPM
Package / Rack	✓
Размеры	2300x3000x2150 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 163 HF MK 2 (x2)

Used Sabroe SAB 163 HF MK 2 (x2) ammonia compressor rack, complete with unloaded start, capacity control, pressure safety switches, oil separator, solenoid valve and control panel. This unit has a cooling capacity of 1197 kW at -10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.





