


Sabroe TCMO 28

Specifications


Бренд	Sabroe
Тип	TCMO 28
Хладагент	Freon
kW at 0°C/+40°C	108
kW at -5°C/+40°C	89.4
кВт at -10°C/+40°C	73
кВт at -20°C/+40°C	47.8
кВт at -30°C/+40°C	29.7
кВт at -40°C/+40°C	17.4
Электродвигатель	30 kW
Specs	
Примечания	electromotor 30 kW / 1465 RPM / 400 V
Примечания	R404a - R22 or other freon types
Размеры	1550x800x900 mm (LxWxH)
Stock	1




Description

Used Sabroe TCMO 28

Used Sabroe TCMO 28 piston compressor, R404A refrigeration. Our capacity table is based on R404A. For all the other specs (if available), see the picture of the manufacturer model plate or the attached pdf file. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





Model	Number of cylinders low/high-pressure side	Swept volume at 1500 rpm		Nominal capacities in MW R22*		Unit dimensions in mm			Weight excluding motor kg	Sound pressure level at 1500 rpm dB(A)	Sound pressure level at 3000 rpm dB(A)
		m³/h	m³/h	5500 rpm	3000 rpm	L	W	H			
TCMO 20	6/2	190	385	225	124	1400-1700	700	1000	500	69	71
TCMO 30	6/2	310	625	73	38	1400-1700	700	1000	500	69	71
TSMC 100 S	6/2	339	677	50	26	2151-2915	1052	1247	1760	81	83
TSMC 200 L	6/2	624	1248	66	33	2151-2915	1052	1247	1760	81	83
TSMC 300 E	6/2	909	N/A	81	N/A	2151-2915	1052	1247	1760	81	83
TSMC 120 S	12/4	679	1358	100	50	3329-3737	1327	1445	2791	81	83
TSMC 120 L	12/4	848	1696	113	56	3329-3737	1327	1445	2841	82	84
TSMC 120 E	12/4	1028	N/A	133	N/A	3329-3737	1327	1445	2891	83	84