

# Bitzer 4G-20.2Y-40P (x2) + 4EC-6.2Y-40S (x3) Cool/freeze installation

## Specifications

Бренд	Bitzer
Тип	4G-20.2Y-40P (x2) + 4EC-6.2Y-40S (x3) Cool/freeze installation
Хладагент	Freon
kW at -5°C/+40°C	158.3
кВт at -10°C/+40°C	131.3
кВт at -20°C/+40°C	85.6
кВт at -30°C/+40°C	52.9
кВт at -40°C/+40°C	28.2
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Панель управления	✓
Package / Rack	✓
Stock	1



## Description

### Used Bitzer 4G-20.2Y-40P (x2) + 4EC-6.2Y-40S (x3) Cool/freeze installation

Used but still in very good condition: complete Bitzer / Carrier cool / freeze unit build by Linde, consisting of the following main components: 2 cool/freeze Semi-hermetic Reciprocating Compressors type 4G-20.2Y-40P + 3 cool/freeze Semi-hermetic Reciprocating Compressors 4EC-6.2Y-40S , electronic oil floaters, oil separator, central suction manifold and switch-board with complete control system. \*Why choose for HOSBV? Were not only the largest used refrigeration



specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.





