

Maneurop MTZ56HL4AVE (x3) condensing unit

Specifications

Бренд	Maneurop			
Тип	MTZ56HL4AVE (x3)			
	condensing unit			
Хладагент	Freon			
кВт at +10ºC/+40ºC	64.38			
kW at 0°C/+40°C	42.87			
kW at -5°C/+40°C	34.20			
кВт at -10ºC/+40ºC	26.76			
кВт at -20ºC/+40ºC	15.15			
кВт at -30ºC/+40ºC	7.08			
На стальной раме	/			
Жидкостный ресивер	/			
m3 / h	16.73			
Примечания	Our capacity table is			
	based on Manufacturer			
	spec. We would like to			
	know which refrigerant is			
	in your system			
Macca	150			
Package / Rack	/			
Condensing Unit	/			
Stock	2			



Description

Used Maneurop MTZ56HL4AVE (x3) condensing unit

Used Danfoss-Maneurop MTZ56HL4AVE (x3) scroll compressor, condensing unit. You can also use this compressor(s) on alternative types of Freon. For all the other specs (if available), see the picture of the manufacturer model plate or the attached pdf file. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment
















Your partner for used commercial and industrial refrigeration equipment



Cooling capacity [W]

t _c \ t _e	-30	-25	-20	-15	-10	-5	0	5	10
30	3 487	4 805	6 438	8 424	10 801	13 608	16 883	20 664	24 991
35	2 894	4 170	5 733	7 620	9 871	12 523	15 616	19 187	23 275
40	2 366	3 581	5 053	6 823	8 928	11 406	14 297	17 638	21 468
45	1 912	3 045	4 408	6 041	7 980	10 265	12 934	16 025	19 578
50	1 539	2 572	3 806	5 281	7 036	9 107	11 535	14 358	17 613
55	-	2 169	3 255	4 554	6 104	7 943	10 110	12 643	15 582
60	9	1 845	2 764	3 866	5 192	6 779	8 666	10 891	13 493

Power input [W]

tc \ te	-30	-25	-20	-15	-10	-5	0	5	10
30	2 204	2 563	2 908	3 225	3 501	3 724	3 881	3 958	3 943
35	2 302	2 672	3 034	3 375	3 682	3 942	4 143	4 272	4 315
40	2 369	2 753	3 137	3 506	3 849	4 152	4 402	4 587	4 692
45	2 404	2 808	3 219	3 622	4 004	4 354	4 658	4 904	5 077
50	2 410	2 838	3 280	3 721	4 149	4 551	4 913	5 224	5 469
55	×	2 844	3 322	3 806	4 284	4 742	5 168	5 549	5 871
60		2 828	3 346	3 878	4 410	4 929	5 424	5 879	6 284

HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237