

Mycom FM 160S-ME

Specifications

Бренд	Mycom
Тип	FM 160S-ME
Хладагент	Freon
Refrigerant type	R507A or other types
кВт at -10°C/+40°C	246
кВт at -20°C/+40°C	163,9
кВт at -30°C/+40°C	103,8
кВт at -40°C/+40°C	61
Электродвигатель	110 kW at 2960 RPM by
Specs	Leroy Somer
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.465	
Отделитель жидкости	✓
Маслоотделитель	✓
Система	✓
маслоуравнивания	
Фильтр-осушитель	✓
Соленоидный клапан	✓
Панель управления	✓



separator: +/- 1100x600

mm (LxØ) / Control

panel: compressor

regulation, relais, head

switch etc.

Размеры |

1100x1050x1950 mm

Комплектация |

Evaporizer!! / 2x heat

Stock

Exchanger / Oil

Description

Used Mycom FM 160S-ME

Used Mycom FM 160S-ME freon compressor, complete with unloaded start, capacity control, pressure gauges, suction accumulator, oil separator, oil level system, liquid line filter drier, solenoid valve, control panel and liquid receiver with a volume of 465 liters. This unit has a cooling capacity of 246 kW at -10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





