

Bock HGX6/1080-4 S (x4) Package

Specifications

Бренд	Bock
Тип	HGX6/1080-4 S (x4) Package
Хладагент	Freon
Refrigerant type	R404A or other types
кВт at +10°C/+40°C	454.8
kW at 0°C/+40°C	3248.4
kW at -5°C/+40°C	284
кВт at -10°C/+40°C	233.6
кВт at -20°C/+40°C	151.20
кВт at -30°C/+40°C	90.8
кВт at -40°C/+40°C	48.40
kW at -45°C/+40°C	32.8
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.866	
Маслоотделитель	✓
Фильтр-осушитель	✓
Примечания	454.8 kW is at +7.5°C/+40°C
Stock	1






Description


Used Bock HGX6/1080-4 S (x4) Package

Used Bock HGX6/1080-4 S (x4) compressor unit. Complete with liquid receiver 866ltr, oil separator, pressure vessel and pressure safety switches and gauges. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.









R404A/R507		Performance data										50 Hz		
Type	Cond. temp. °C	Cooling capacity $\dot{Q}_0$ [W]										Power consumption P_e [kW]		
		Evaporating temperature °C												
		7.5	5	0	-5	-10	-15	-20	-25	-30	-35	-40	-45	
HGXS1240-4	30	Q	133868	122554	102765	83399	68935	56229	45169	35643	27538	20444	15146	10634
		P	27.78	27.28	26.04	25.70	23.26	20.54	18.62	16.56	14.43	12.29	10.21	8.25
HGXS1240-4 S	40	Q	113720	104299	87122	71042	58440	47422	37874	29684	22741	16931	12143	8265
		P	33.36	30.38	26.24	22.42	25.14	22.68	20.13	17.53	14.97	12.49	10.17	8.08
	50	Q	94323	86295	71734	58323	47668	38420	30468	23698	17998	13257	9362	
		P	38.27	35.83	29.86	30.45	27.41	24.30	21.19	18.14	15.22	12.49	10.02	
max	Q									38742	30407	23329	17378	12423