

Bitzer 4P-15.2Y Tank aggregate

Specifications

Brand	Bitzer
Туре	4P-15.2Y Tank aggregate
Refrigerant	Freon
kW at 0°C/+40°C	39,2
kW at -5ºC/+40ºC	32,5
kW at -10°C/+40°C	26,7
kW at -20°C/+40°C	17,3
kW at -30°C/+40°C	10,4
kW at -40°C/+40°C	5,47
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	54
Liquid line filter drier	✓
Sight Glass	✓
Control panel	/
m3 / h	47,1
Remarks	y.o.b. 2000
Sizes	1700x1000x1070 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 4P-15.2Y Tank aggregate

Used Bitzer 4P-15.2Y semi-hermetic reciprocating compressor. Complete with liquid receiver 54 liter, liquid line filters and safety pressure switches and gauges.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment



