

# Bitzer 4G-20.2Y Tank aggregate

## Specifications

Brand	Bitzer
Type	4G-20.2Y Tank aggregate
Refrigerant	Freon
Refrigerant type	R404A
kW at -5°C/+40°C	57,2
kW at -10°C/+40°C	47,3
kW at -20°C/+40°C	31,2
kW at -30°C/+40°C	19,2
kW at -40°C/+40°C	10.5
kW at -45°C/+40°C	7,2
Unloaded Start	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	84,5
Sizes	1400x750x1200 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4G-20.2Y Tank aggregate

Used Bitzer 4G 20.2Y semi-hermetic reciprocating compressor. Complete with liquid receiver, liquid line filters and safety pressure switches and gauges.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.



