

Daikin ZHC7LSGYE

Specifications

| | |
|------------------|----------------------------|
| Brand | Daikin |
| Type | ZHC7LSGYE |
| Refrigerant | Freon |
| kW at 0°C/+40°C | 252.0* |
| Capacity Control | ✓ |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Sight Glass | ✓ |
| Solenoid Valve | ✓ |
| m3 / h | 302.96 |
| Remarks | y.o.b: 2X 2002 and 2X 2003 |
| Weight in kg. | 570 kg |
| Sizes | 1499x548x566 mm (LxWxH) |
| Stock | 1 |



Description

Used Daikin ZHC7LSGYE

Used Daikin ZHC7LSGYE semi-hermetic screw compressor. Equipped with a capacity control, pressure safety switch and sight glass. Functions at 50 Hz by means of a 2-pole electric motor system. This screw compressor requires a power supply of 380~415 V/ 50Hz and generates an output of 75 kW. *Cooling capacity is 335,7 kW Given the following values; Condensing temperature: 50°C, evaporating temperature: 0°C, suction gas superheat: 8K and liquid subcooling: 5K.

*Why should one choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleansing.*If requested we are happy to arrange your logistics.



