

Grasso RC 411

Specifications

Brand	Grasso
Туре	RC 411
Refrigerant	NH 3 / Freon
kW at +10°C/+40°C	660,0
kW at 0°C/+40°C	441,8
kW at -5°C/+40°C	354,7
kW at -10ºC/+40ºC	278,9
Electromotor Specs	50 Hz - 110kW - 1470
	RPM.
Unloaded Start	/
Capacity Control	/
On steel base frame	/
Pressure gauges	/
Hp/Lp/Op	
Oil separator	/
Sight Glass	/
m3 / h	532,0
Sizes	2630x1630x2240 mm
	(LxWxH)
Stock	2



Description

Used Grasso RC 411

Used Grasso RC 411 unit on NH3 driven by a V-belt. Complete with Grasso RC 411 Reciprocating compressor, Leroysomer o 280 SP-4 - 50 Hz - 110 kW -1470 RPM elektromotor, Oil seperator 34,2 L, Pressure and safety switches/gauges, V-belt protective hood, Sight Glass. The electromotor can be delivered in different capacity versions.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.




Your partner for used commercial and industrial refrigeration equipment



























Your partner for used commercial and industrial refrigeration equipment





HOS BV www.hosbv.com info@hosbv.com