

Maneurop MTZ50HK4BVE Condensing unit

Specifications



Brand	Maneurop
Type	MTZ50HK4BVE Condensing unit
Refrigerant	Freon
kW at +10°C/+40°C	19,3
kW at 0°C/+40°C	12,9
kW at -5°C/+40°C	10,2
kW at -10°C/+40°C	7,9
kW at -20°C/+40°C	4,5
kW at -30°C/+40°C	2,4
Condensing pressure switches	✓
Oil separator	✓
Liquid line filter drier	✓
m3 / h	37,49
Power	
Condensing Unit	✓
Sizes	2200x735x810 mm (LxWxH)
Stock	1



Description

Used Maneurop MTZ50HK4BVE Condensing unit

Used Smeva Maneurop MTZ250T condensing unit containing the following parts; 2x MTZ50HK4BVE Maneurop compressor and with 3 FMV fans 50 Hz - 0,145 kW - 1500 RPM - diameter 400 mm. Liquid receiver 35 liters with liquid line filter and fuse box.
 *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
 *If requested we are happy to arrange your shipment.



NAAMPLAAT KOELINSTALLATIE			
Installatie identificatienummer	446110/R	CE	
Naam installateur	Symyx B.V.	Type koelinstallatie	
Adres installateur	De Biltseweg 10	Type koudemiddel	R507
		Aantal aparte koelcircuits	1
Jaar installatiecontrole		Nadere aanduiding per koelcircuit	
		Hoeveelheid vulling (kg) per koelcircuit	15

KENPLAAT KOELINSTALLATIE			
Installatie identificatienummer	R	Nadere aanduiding per koelcircuit	
Type koudemiddel	R507	Aantal aparte koelcircuits	1
		Hoeveelheid vulling (kg) per koelcircuit	15

KENPLAAT COMPRESSOR 1			
Naam fabrikant		Maximaal toelaatbare werkdruk	
		HD-zijde (bar)	LD-zijde (bar)
Type compressor		Voor hermetische en semi-hermetische compressoren	
Serienummer		- Nominale spanning (V)	- Maximale stroomopname (A)
Beproevingdruk (bar)		Voor open compressoren het maximale toerental (n/min)	



