

# Trotec PAC 2600

## Specifications

Brand	Trotec
Type	PAC 2600
Specification	2,7 kW at +10°C/+40°C
Stock	11



## Description

### Used Trotec PAC 2600

Used Trotec PAC 2600 mobile air conditioner on Freon. Cooling capacity of 2.7 kW and temperature range 16-35 °C. with suction and blow-out hose. Not for sale in the Benelux.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also arrange the logistics.



Herstell.-Nr./Serial No.	<b>0600393</b>	<b>TROTEC®</b>
<b>Type: PAC 2600</b>	<b>CE</b>	52525 Heinsberg · Germany DE 99663130 Grebbener Str. 7 · www.trotec.de
<b>Item No: KL7000305</b>		
Nominal cooling capacity/Nennkühlleistung .....	2,6 kW	
Cooling capacity/Kühlleistung .....	2,7 kW	
Circulation air volume flow rate/ Umluftvolumenstrom .....	max. 420 m <sup>3</sup> /h	
Fan speeds/Ventilatorstufen .....	3	
Exhaust air volume flow rate/ Abluftvolumenstrom .....	max. 450 m <sup>3</sup> /h	
Refrigerant/Kältemittel .....	R 407 C	
Refrigerant quantity/Kältemittelmenge .....	700 g	
Operating range/Arbeitsbereich .....	16 - 35 °C	
Dehumidification capacity/Entfeuchtungsleistung .....	max. 1,6 l/h	
Sound pressure level/Schalldruckpegel .....	max. 52 dB (A)	
Voltage supply/ Spannungsversorgung .....	230 V/1~ Ph/50 Hz	
Nominal power consumption/Nennleistungsaufnahme .....	0,95 kW	
Power consumption/Leistungsaufnahme .....	1,12 kW	
Nominal current consumption/Nennstromaufnahme .....	4,5 A	
Current consumption/Stromaufnahme .....	5,45 A	
Energy efficiency variable/Energieeffizienzgröße .....	2,41	
Energy efficiency class/Energieeffizienzklasse .....	B	
Air outlet hose, length/Abluftschlauch, Länge .....	1250 mm	
Air outlet hose, diameter/Abluftschlauch, Ø .....	125 mm	
Dimensions, height / width/ depth/ Maße Höhe / Breite / Tiefe .....	855 / 510 / 400 mm	
Weight/Gewicht .....	38 kg	



