

Bitzer 4T-8.2Y-40P

Specifications

Brand	Bitzer
Туре	4T-8.2Y-40P
Refrigerant	Freon
kW at -5°C/+40°C	27,1
kW at -10°C/+40°C	22,3
kW at -20°C/+40°C	14,6
kW at -30°C/+40°C	8,9
kW at -40°C/+40°C	4,8
Capacity Control	/
Pressure safety switches	/
Hp/Lp/Op	
Oil level system AC&R	/
Sight Glass	✓
Solenoid Valve	/
m3 / h	39,4
Remarks	Y.o.b. 2003
Sizes	800x520x700 mm
	(LxWxH)
Stock	2



Description

Used Bitzer 4T-8.2Y-40P

Used Bitzer 4T-8.2Y-40P semi-hermetic reciprocating compressor on Freon with 1 Ziehl-Abegg fan: 50 Hz - 0,12 kW - 1410 RPM. Complete with a sight glass, capacity control, pressure safety switches, oil level system and a selenoid valve. This unit has a displacement of 39,4 m³/h. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.

(+31) (0)23-5404237

























