

Bitzer HSK 7461-80-40P (x4) DX Compressor unit

Specifications

Brand	Bitzer
Туре	HSK 7461-80-40P (x4)
	DX Compressor unit
Refrigerant	Freon
kW at 0°C/+40°C	876,4
kW at -5°C/+40°C	749,6
kW at -10°C/+40°C	637,3
kW at -20°C/+40°C	450,2
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	/
Hp/Lp/Op	
Liquid receiver	/
Liquid receiver ltr.	700
Liquid line filter drier	/
m3 / h	880,0
Remarks	Y.o.b. 2007
Remarks	Thermofin X-TCH
	100.1-26-B-N(D5)B5
	condenser
Remarks	Please note: we will only
	offer this as complete
	cooling solution with
	capacity matching
	evaporators





Package / Rack	✓
Condensing Unit	✓
Sizes	Container:
	12170x2450x2630 mm
	(LxWxH)
	Condenser:
	11840x2460x1660 mm
	(LxWxH)
Stock	1

Description

Used Bitzer HSK 7461-80-40P (x4) DX Compressor unit

Used Bitzer HSK 7461-80-40P DX compressor unit on Freon. Complete with 4 Bitzer HSK 7461-80-40P semihermetic screw compressors with economizers, Thermofin X-TCH 100.1-26-B-N(D5)B5 air cooled condenser with 12 Ziehl-Abega fans -50 Hz - 2,5/3,6 kW - 700/890 RPM diameter 910 mm, Güntner S-GBH 700 liter (water) liquid receiver, ONDA OVS 220/1 oil separator with a volume of 220 liters, plate heat exchanger functioning as economizer, liquid line filter driers and pressure and safety switches/gauges. This unit worked with the Thermofin TEN 080 1-F-2-8-E evaporators with the following productnumber: <a href="https://hosb</pre> v.com/product/11627/evaporators/Ther mofin-

TEN-080-1-F-2-8-E.html">13605.

Please note: we will only offer this as complete cooling solution with capacity matching evaporators

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.

HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237
















































info@hosbv.com





