

# Güntner S-GVH 080.3B/2x4-N(D).E

## Specifications

|                               |                              |
|-------------------------------|------------------------------|
| Brand                         | Güntner                      |
| Type                          | S-GVH<br>080.3B/2x4-N(D).E   |
| Product type                  | Drycooler                    |
| kW                            | 300,0                        |
| Number of Fans                | 8                            |
| RPM of the Fans               | 680/890                      |
| Refrigerant                   | Glycol                       |
| Air Flow in m <sup>3</sup> /h | 163.200                      |
| diameter fans Ø               | 800 mm                       |
| Surface (m <sup>2</sup> )     | 2.425                        |
| Tube volume                   | 290,2 dm <sup>3</sup>        |
| Sizes                         | 9840x2300x1650 mm<br>(LxWxH) |
| Weight                        | 1899 kg                      |
| Remarks                       | Y.o.b. 2016                  |
| Stock                         | 1                            |



## Description

### Used Güntner S-GVH 080.3B/2x4-N(D).E

Used Güntner S-GVH 080.3B/2x4-N(D).E drycooler build in 2016. Complete with 8 EBM-Papst fans - 50 Hz - 1,21/1,92 kW - 680/890 RPM - diameter 800 mm and a total airflow of 163.200 m<sup>3</sup>/h.

\*All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



|                                                                                                                                                     |                                       |                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------|
| <p>Güntner GmbH &amp; Co KG<br/>Hans Güntner Strasse 2-6<br/>82256 Fürstenfeldbruck<br/>www.guentner.de</p> <p><b>EAC</b></p> <p><b>GUNTNER</b></p> |                                       |                |
| Projektnummer - Project number                                                                                                                      | 101041436                             |                |
| Gerätebezeichnung - Unit name                                                                                                                       | S-GVH 080.3B/2+4-ND/E                 |                |
| Gerät Seriennummer - Unit serial number                                                                                                             | 404479187/48.00393                    |                |
| Ventilator/Drehzahl/Stromaufn. - Fan/D/Speed/Current                                                                                                | VT03106 / 1163 / 880 min -1 / 3.9 A   |                |
| Umgebungstemperatur - Ambient air temperature                                                                                                       | -30 °C / +50 °C                       |                |
| Herstellungsjahr - Year of manufacture                                                                                                              | 2016                                  |                |
| Druckgerät Seriennr. - Pressure equipment serial no.                                                                                                | 404479188/48.00394                    |                |
| Volumen - Volume (V)                                                                                                                                | 290.2 l                               |                |
| Max. zulässiger Druck (PS)                                                                                                                          | 32 / 0 bar                            | 0 / -1 bar     |
| Max. permissible pressure (PS)                                                                                                                      |                                       |                |
| Zulässige min./max. Temperatur (TS)                                                                                                                 | -50 °C / +100 °C                      | -5 °C / +40 °C |
| Permissible min./max. temperature (TS)                                                                                                              |                                       |                |
| Prüfdruck (PT) / Prüfmedium                                                                                                                         | 35.2 bar / Druckluft - Compressed air |                |
| Test pressure (PT) / Test medium                                                                                                                    |                                       |                |
| Prüfdatum - Test date                                                                                                                               | 2016.12.10                            |                |
| Fluidgruppe / Zustand - Group of fluid / State                                                                                                      | 2 / gasförmig - gaseous               |                |





