

Bitzer 4DC-5.F1Y-40S

Specifications

Brand	Bitzer
Type	4DC-5.F1Y-40S
Refrigerant	Freon
kW at +10°C/+40°C	26,7*
kW at 0°C/+40°C	18,3*
kW at -5°C/+40°C	14,7*
kW at -10°C/+40°C	11,5*
kW at -20°C/+40°C	6,6*
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Liquid receiver ltr.	26
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	26,9
Remarks	Year of construction 2011
Remarks	*Capacities are based on R134a, 80 Hz and at a ambient temperature of 40 degree Celsius
Weight in kg.	303



Condensing Unit	✓
Sizes	1450x600x1400 mm (LxWxH)
Stock	1

Description

Used Bitzer 4DC-5.F1Y-40S

Used Bitzer Ecostar Condensing Unit LHV6/4DC-5.F1Y-40S with a Bitzer 4DC-5.F1Y-40S semi-hermetic reciprocating compressor on Freon. Complete with liquid receiver, filter dryer and control panel. The compressor is inverter controlled and has a displacement of 26,9 m³/h. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics





