

Bitzer 4H-15.2Y (x2) / 44H-30.2Y

Specifications

Brand	Bitzer
Type	4H-15.2Y (x2) / 44H-30.2Y
Refrigerant	Freon
kW at -5°C/+40°C	99,6
kW at -10°C/+40°C	82,2
kW at -20°C/+40°C	54,2
kW at -30°C/+40°C	33,4
kW at -40°C/+40°C	18,5
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	98
Sight Glass	✓
m ³ / h	147,2
Package / Rack	✓
Sizes	1540x1000x1420 mm (LxWXH)
Stock	1



Description

Used Bitzer 4H-15.2Y (x2) / 44H-30.2Y

Used Bitzer 4H-15.2Y (x2) / 44H-30.2Y semi-hermetic reciprocating compressors on Freon. Complete unit with a Frigomec FK 98 liquid receiver with a volume of 98 liter, liquid line filter dryer, vibration absorber, Danfoss oil differential pressure control, gauges and safety pressure switches. The compressors have a total displacement of 147,2 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





