

DWM D3DC4-75X-AWM/D (x3)

Specifications

Brand	DWM
Туре	D3DC4-75X-AWM/D (x3)
Refrigerant	Freon
kW at -5ºC/+40ºC	74,8
kW at -10ºC/+40ºC	61,0
kW at -20ºC/+40ºC	39,2
kW at -30ºC/+40ºC	23,7
kW at -40ºC/+40ºC	12,7
kW at -45ºC/+40ºC	8,5
On steel base frame	1
Pressure safety switches	1
Hp/Lp/Op	
Condensing pressure	1
switches	
Liquid receiver	1
Liquid receiver ltr.	60
Oil separator	1
Oil level system AC&R	1
Liquid line filter drier	1
m3 / h	114,0
Package / Rack	1
Sizes	2050x1200x1300 mm
	(LxWxH)
Stock	1



Description

Used DWM D3DC4-75X-AWM/D (x3)

Used DWM D3DC4-75X-AWM/D (x3) semi-hermetic reciprocating Freon compressor rack on a steel base frame. Complete with a Frigo Mec FK 60 liquid receiver with a volume of 60 liters, AC&R S-5587 oil separator, AC&R S-9109 oil reservoir, AC&R S-9530 oil level regulators, liquid line filter drier and pressure and safety switches. The compressors together have a displacement of 114,0 m³/h. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment

















Your partner for used commercial and industrial refrigeration equipment











Your partner for used commercial and industrial refrigeration equipment











