

DWM DLLE-401-EWL Condensing unit

Specifications

Brand	DWM
Туре	DLLE-401-EWL
	Condensing unit
Refrigerant	Freon
kW at $+10^{\circ}C/+40^{\circ}C$	20,2
kW at 0ºC/+40ºC	14,5
kW at -5ºC/+40ºC	12,0
kW at -10ºC/+40ºC	9,7
kW at -20ºC/+40ºC	6,0
kW at -30ºC/+40ºC	3,2
kW at -40ºC/+40ºC	1,4
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	7,9
Liquid line filter drier	✓
m3 / h	18,2
Condensing Unit	✓
Sizes	1050x750x650 mm
	(LxWxH)
Stock	1



Description

Used DWM DLLE-401-EWL Condensing unit

Used DWM DLLE-401-EWL condensing unit on Freon. Complete with a condensor that has 2 Süd-Electric DL-P 1C100-4 fans - 50 Hz - 0,11 kW - 1400 RPM, liquid receiver with a volume of 7,9 liter, pressure and safety switches and a liquid line filter drier. The compressor has a displacement of 18,2 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment



	Linde
	Type DL-P 1C100-4 Nr. A019706
	220/380 V ⁺²⁰ / ₋₁₀ %, Aufn. 110 W
1	0,53/0,30 A, IsolKI. F IP 44
-	1400 Um ⁻¹ , cos φ 0,55 50 Hz, S1 D Mot
-	KLV 350/20°-24°
1	SÜD-ELECTRIC GmbH Eglharting b. München







