

Dorin K 2000CC-01

Specifications

| Brand | Dorin |
|--------------------------|------------------|
| Туре | K 2000CC-01 |
| Refrigerant | Freon |
| kW at +10ºC/+40ºC | 74,5 |
| kW at 0ºC/+40ºC | 52,8 |
| kW at -5ºC/+40ºC | 44,0 |
| kW at -10ºC/+40ºC | 36,4 |
| kW at -20ºC/+40ºC | 24,0 |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Liquid receiver | ✓ |
| Liquid receiver ltr. | 25 |
| Suction accumulator | ✓ |
| Liquid line filter drier | ✓ |
| Sight Glass | ✓ |
| Control panel | ✓ |
| m3 / h | 57,9 |
| Sizes | 800x1000x1850 mm |
| | (LxWxH) |
| Stock | 2 |
| | |



Description

Used Dorin K 2000CC-01

Used Dorin K 2000CC-01 semi-hermetic reciprocating compressor on Freon. Complete with a Carly LCY 811 S suction accumulator, WTT GBS 500H-50 braced heat exchanger, Frigo Mec FL 25 liquid receiver with a volume of 25 liter, liquid line filter drier, pressure and safety switches/gauges and a control cabinet.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.






















| e | GEA WI'T GmbH Remsaer Stra 3e 2a D-04303 Nochitz-Wilchwitz www.gea com | EA |
|---|--|-------------------------------|
| | Material number Type: GE | 12507980 38 500H-50 |
| | | -50 (K1,K2) 25275-0001 |
| | Min /max allow temp[*C]; -196 [*F]; -321 Max allow prassure S. 1 (bar); | |
| | Maxaalow presoure S. 2 [bar] Maxaalow presoure S. 3 [bar] Volume side 1: Volume side 2: Volume side 3: | 30 2.401 2.501 0.001 |
| | C E-00100 English Mass in Germany Mission Refrigerants: All except Ammonia | |





| Herstell Nr. 25264 Type FL 25 Baumusterk.z. ZU 350/3 Baujahr 1997 |
|---|
| |
| Baujahr 1997 |
| |
| Raum Mantel Rohr |
| zul.Betr.ü.druck bar 28 |
| zul.Betr.temp. °C 100 |
| Inhalt • Liter 25 |







