


Bitzer 6G.2

Specifications

Brand	Bitzer
Type	6G.2
Refrigerant	Freon
kW at 0°C/+40°C	106,3
kW at -5°C/+40°C	88,0
kW at -10°C/+40°C	72,2
kW at -20°C/+40°C	46,8
kW at -30°C/+40°C	28,2
kW at -40°C/+40°C	15,2
kW at -45°C/+40°C	10,3
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
m ³ / h	153
Sizes	1140x660x910 mm (LxWxH)
Stock	1



Description

Used Bitzer 6G.2

Used Bitzer 6G.2 open-type reciprocating compressor on Freon with a sight glass. Complete with a MEZ F180M04 electric motor - 50 Hz - 18,5 kW - 1460 RPM, oil separator and pressure and safety switches/gauges. The compressor has a displacement of 153 m³/h at 1750 RPM.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.

