

DWM 4 CC 63

Specifications

Brand	DWM
Туре	4 CC 63
Refrigerant	Freon
kW at +10ºC/+40ºC	62,3
kW at 0ºC/+40ºC	43,1
kW at -5ºC/+40ºC	36,0
kW at -10ºC/+40ºC	28,6
kW at -20ºC/+40ºC	17,7
kW at -30ºC/+40ºC	9,7
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	1
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	56
Remarks	*Capacity based on
	+7ºC/+40ºC
Sizes	1200x1100x1750 mm
	(LxWxH)
Stock	1



Description

Used DWM 4 CC 63

Used DWM 4 CC 63 open-type compressor on Freon. Complete with a Rotor 4AP132M-4 electric motor – 50 Hz – 7,5 kW – 1450 RPM, liquid receiver, liquid line filter drier and pressure and safety switches/gauges. The compressor has a displacement of 56 m³/h at 1450 RPM. Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





























