

Dorin H350SB Condensing unit

Specifications

Brand	Dorin
Туре	H350SB Condensing unit
Refrigerant	Freon
kW at -5°C/+40°C	12,4
kW at -10°C/+40°C	10,3
kW at -20°C/+40°C	6,8
kW at -30°C/+40°C	4,3
kW at -40°C/+40°C	2,4
On steel base frame	/
Pressure safety switches	/
Hp/Lp/Op	
Liquid receiver	✓
Coll separator	<i>I</i>
•	
Oil separator	/
Oil separator Liquid line filter drier	/ /
Oil separator Liquid line filter drier Sight Glass	/ /
Oil separator Liquid line filter drier Sight Glass m3 / h	/ / / 17,6
Oil separator Liquid line filter drier Sight Glass m3 / h Condensing Unit	/ / / 17,6
Oil separator Liquid line filter drier Sight Glass m3 / h Condensing Unit	✓ ✓ ✓ 17,6 ✓ 1200x1020x600 mm



Description

Used Dorin H350SB Condensing unit

Used Dorin H350SB condensing unit on Freon. Complete with a condenser with 3 fans - 50/60 Hz - 16 W - 1300/1550 RPM - diameter 330 mm, liquid receiver, AC&R S-5585 oil separator, liquid line filter drier, and pressure and safety switches. The compressor has a displacement of 17,5 m³/h. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.

















info@hosbv.com















Your partner for used commercial and industrial refrigeration equipment







info@hosbv.com