

## Goedhart LLK.p 223 m<sup>2</sup>

### Specifications

|                   |                                  |
|-------------------|----------------------------------|
| Brand             | Goedhart                         |
| Type              | LLK.p 223 m <sup>2</sup>         |
| kW                | 47,5                             |
| Refrigerant       | Glycol                           |
| Number of Fans    | 4                                |
| Fin Space in mm   | 7                                |
| Defrosting        | None                             |
| m <sup>3</sup> /h | 32.600                           |
| Sizes             | 3750x950x1170 mm<br>(LxWxH)      |
| Remarks           | Y.o.b. 2006                      |
| Remarks           | Surface area: 223 m <sup>2</sup> |
| Volume            | 63 dm <sup>3</sup>               |
| Weight            | 430 kg                           |
| Stock             | 4                                |



### Description

#### Used Goedhart LLK.p 223 m<sup>2</sup>

Used Goedhart LLK.p 223 m<sup>2</sup> evaporator on Glycol. Complete with 4 Süd-Electric MDA-H2065-NSN-N fans - 50 Hz - 0,40/0,68 kW - 680/880 RPM - diameter 630 mm and a total airflow of 32.600 m<sup>3</sup>/h.

\*All components of this used evaporator will be tested in good working, leak-free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



**Goedhart**  
Cooling Equipment

Sint-Maartensdijk, Holland Tel: +31(0)166 665 665 Fax: +31(0)166 663 698 E-mail: info@goedhart.nl

|              |                         |                 |             |
|--------------|-------------------------|-----------------|-------------|
| Man.no.:     | PJV061836               |                 |             |
| Type:        | LLK.p 223m <sup>2</sup> |                 |             |
| Number:      | 002                     | of              | 4           |
| Year:        | 2006                    |                 |             |
| Client ref.: | 601266                  |                 |             |
| M.:          | 430                     | kg              | TS: 50/3 °C |
| V.:          | 63                      | dm <sup>3</sup> | PS: 5 bar   |
|              |                         |                 | PT: 7 bar   |
| Fluid:       | P-Glycol / H2O 35%      |                 |             |





